


Keeping in touch with your children

Staying connected to your children and loved ones is part of the recovery process and is important for you and your family's wellbeing.

Let's start talking →

Wondering how to stay in touch with your children while you are here? Or how to talk with them about what has happened and your time with us? **Talk over these ideas with us early in your stay.**



Send a personal message


Not feeling up to talking with your kids today? Our staff can support you to get a message through to help reassure them.

Bring in something from home

Bring in a favourite item, a child's drawing or a photograph of your family to decorate your bedroom.

Send something special home

We have materials you can use to create a letter, postcard or special surprise for your kids to find in the letterbox.



Phone or message

But first – you may want think about the best way to chat with your children during your stay. We can help you to work out strategies that support you and your connection to family.

Spend time with your children

Depending on your situation, a visit here, at home or an outing could be planned. Our staff can support you before, during and after you spend time with your kids.

Preparing to go home

There are a number of important steps in your recovery, including the transition home. Talk to us about what to expect and what this might look like for you and your family.

Our staff are committed to supporting you with whatever you choose from this menu of ideas. We will check in with you regularly about your choices.

Emerging Minds.

www.emergingminds.com.au

Based on the KIT MENU originally co-designed and produced by the Northern Psychiatric Unit, Northern Area Mental Health Service, Victoria and the Children of Parents with Mental Illness (COPMI) national initiative (2011). The content and design was revised in 2019 by the Emerging Minds National Workforce Centre for Child Mental Health. The National Workforce Centre for Child Mental Health is funded by the Australian Government Department of Health under the National Support for Child and Youth Mental Health Program.

Residential Version – KIT Menu 2019

**Keeping in Touch
Alcohol and Other Drugs Residential Guide**

Introduction

The *Keeping in Touch with your Children (KIT) Menu* and this associated *practice guide* were produced to support the parenting role of residents with dependent children, during periods of separation necessitated by inpatient or residential treatment programs. Using a trauma-informed, relational recovery approach, the resource aims to:

- reduce the trauma of disruption to the parent-child relationship
- reduce the stigma associated with parental substance use
- help maintain and promote family resilience and wellbeing
- promote recovery-focused practice and the value of parents, children, and family relationships.

It is very important that children and parents remain in contact during this period. As a practitioner working in an inpatient or residential service, you are well placed to assist parents to do this whilst also building their self-efficacy as a parent.

Who are these resources for?

The *'Keeping in Touch' poster* has been designed for parent residents. It is intended to be displayed in communal spaces in residential settings, in each room or residence and an A4 size version provided in the Intake pack.

This *practice guide* has been written for staff supporting residents who are parents. It is designed to provide you with an overview of methods to implement each item on the KIT Menu. Supporting materials are also available to assist service training and implementation.

Definitions

For the purpose of this guide, the terms 'child' and 'children' will be used to describe infants (0-2 years), children (3-12 years) and adolescents (13-18 years). The term 'parent' encompasses the biological and adoptive parents of a child, as well as individuals who have taken up a primary or shared responsibility in raising that child. The parent is a 'resident' participating in an adult-focused service setting, where parenting is not a routine focus of support or treatment.

A flexible approach

There is no sequential order to the menu – just like in a restaurant, parents can choose what they feel suits their appetite and their phase of recovery.

Organisations can also adopt different options to respond to rules regarding:

- access to mobile phones and other technology, storage and use
- visitors; and
- program leave policies.

The communal nature of residential settings requires sensitivity to the privacy of others and consideration of program-related safety and contact parameters. It is also essential to be aware of any residents who may be legally prohibited from having general contact with children, particularly in settings where staff may not be on site 24/7.

While the menu includes a range of suggested activities and communication examples, not all age-appropriate options are included. It is important to make sure that any potential activities are either age-neutral or appropriate to the child's specific age, developmental stage, and maturity level.

If an option isn't feasible as it is described (e.g. for geographical, legal, ethical or treatment reasons), services can establish what actually is possible in relation to the item, despite the constraints.

Legal requirements in relation to children, family violence and family law

Service policies should clearly identify legislative requirements as they relate to child safety and protection and family law. Staff need to establish whether any Children's Court, Family Court or Family Violence Intervention Orders exist and what specific conditions are listed.

Being fully informed and sensitive to the impact and implications of these arrangements, regardless of their formality, is essential to individual and family wellbeing and a therapeutic alliance.

If there is a current legal order in place affecting the nature or level of contact between family members, including children, the conditions stipulated in the order must be clarified before any menu options are put into practice.

However, if some options are not appropriate, consider what is possible within the circumstances and constraints.

A policy for children visiting your service is strongly advised to support parental recovery and align with the Commonwealth Child Safe Framework requirements.

Associated resources

Additional resources can be found at the end of this guide. These include resources from Emerging Minds' online library, along with materials developed by frontline services. We recommend reviewing these resources when considering what processes or materials may need to be developed within your own service.

Keeping in touch with your children

Staying connected to your children and loved ones is part of the recovery process and is important for you and your family's wellbeing.

Let's start talking →

Wondering how to stay in touch with your children while you are here? Or how to talk with them about what has happened and your time with us? **Talk over these ideas with us early in your stay.**

Start talking with parents about the menu early

- Make a time to talk with the parent about the menu, making it clear that this can be an ongoing conversation. Or, if the topics of children and family come up in your everyday conversations, you can use the menu to develop the discussion further.
- Be curious about the parent's children: their names, ages, where and with whom they are staying, etc.
 - What is their personality like? What are their interests?
 - What (if anything) do the children know about the parent's substance use issues?
 - Have the children expressed what they might like to do (e.g. Do they want to visit? If so, where - at the service or at a park/playground?)?
- Safe, trauma-informed conversations involve warm curiosity and active listening. Your role is not to assess or judge but to try and understand what it means for the client to be a parent.
- Listen to the parent's concerns and hopes for their children. Take note of their strengths as well as vulnerabilities. Listen for cultural norms and values that underpin their beliefs, attitudes and preferred parenting approach.
- Parents may in fact have existing worries about their child's social and emotional wellbeing and may find it hard to talk about these with professionals. This practice paper from Emerging Minds, [Why is it difficult for parents to talk to practitioners about their children's mental health](#), explores the possible reasons behind this and ways you can respond to perceived hesitancy.

Considerations:

- Seek parental permission to briefly speak with the child's current caregiver/support worker about how to support children with information about their parent that is age appropriate and assures the child that the parent loves them.
 - Confirm with the child/caregiver/support worker what the child knows about the parent's issues with substance use.
 - Consider the possibility that the parent may relapse and how the flow of this information to the child is managed.
 - Plan how you will support clients whose children do not want to have contact with their parent, but where the parent is seeking connection or reunification.
-
- Explore with the parent what is known about the impact of substance use and separation on children and parenting, and what alleviates children's anxiety.
 - Be respectful of the fear of judgement and feelings of guilt and shame that this may bring up for the parent. It is important to validate and normalise these responses, especially where people may have had prior involvement with child protection services or experienced criticism and conflict. Treat their presence in your program as a strength. Be conscious that the power imbalance may still limit a parent's sense of safety in sharing fully with you.

- Introduce the parent to some quality, age-appropriate reading material for children. Explore how they can use these resources to have conversations (both planned and opportunistic) with their children so their 'parental agency' is supported.

Many adults, including clinicians and parents, think information about substance use is too confronting for children to be exposed to, regardless of contemporary public and media awareness.

However, most children are aware of their parent's substance use regardless of the formal information they are given. Children will come up with, or privately seek out, explanations for a parent's mood and behaviour, and those assumed, imagined or mistaken reasons can be far more confronting and damaging to both them and the parent-child relationship than the reality.

Let parents know that they should expect their child to ask questions and that getting ready for a conversation will be beneficial for them both.

- When planning for any activity where a parent is communicating directly with their child (e.g. a phone call, a visit, going home), help the parent to develop simple, age-appropriate ways of describing:
 - the reason for this stay
 - the improvement in their health and wellbeing
 - the help they will be receiving in the future to continue their recovery
 - the help available for the children while their parent continues their recovery.
- Consider with the parent whether there may need to be ongoing supports put in place to help them and their child to manage the impact of any adversity. This can be particularly useful in the context of any court orders, which often act as an ongoing stressor or situational trigger.
- Decisions about visits should be informed by service procedures and made collaboratively by the treating team, the parent, and the caregiver of the child, with input from the parent's community-based drug and alcohol professionals (see the **Plan a visit** menu item for guidance).


A special word about infants

- As part of the pre-planning process, liaise with the mother, infant's caregiver and/or any infant/maternal child health agency involved to establish some criteria and ideal times for the infant to visit. Regular visits will help to support bonding and attachment, but it is important to determine beforehand what the infant's feeding needs are and whether breastfeeding is an option. Staff should also take into account the mother's level of stability at any given time, as well as the infant's health, and adjust visiting plans accordingly.
- Where infants are visiting, agreements about the limits of visits should be discussed well before they take place. Visits should always be supervised by a member of staff as well as the caregiver bringing the infant to the centre. If a change in feeding becomes necessary due to this period of separation, consult with others about the possibility of some regular breastfeeding-specific visits to promote attachment and transition of the feeding regime.
- If an infant becomes distressed during a visit, staff should support the parent and caregiver of the infant in any settling required. How much the parent is able to engage with the infant, particularly during times of distress, will depend on their current level of stability and stage of recovery.

Staying connected to your loved ones is a part of the recovery process and is important for you and your family's wellbeing.

Our staff are committed to supporting you with whatever you choose from this menu of ideas. We will check in with you regularly about your choices.

- It is important to draw parents' attention to the messages above. These messages serve to normalise conversations about parenting and children between staff and clients in your setting. They also show that the service recognises 'parental agency' as an important feature of the recovery process, and that staff can act preventively when separation occurs to protect infants and children's mental health and wellbeing.



Send a personal message

Not feeling up to talking with your kids today? Our staff can support you to get a message through to help reassure them.

- Validate the parent's desire to connect with their child and explain the benefits – for the child's wellbeing and for the parent-child relationship – of being 'kept in mind'. Even a brief personal message helps the parent to maintain their parenting role, while reducing the child's exposure to stress and showing them that Mum/Dad is okay and hasn't forgotten them.
- In a residential setting focused on recovery, the aim should be for the parent to pass on a personal message themselves or have a trusted person do so for them. Focus on supporting the parent to take part in even a small aspect of the process, or suggest delaying the activity until later in the day when they may feel a bit better.

A parent may be cautious about sending a message because they assume the child will want to hear from them frequently. They might be worried about not being able to keep up regular communications, or afraid of feeling overwhelmed when/if the child responds.

Helping the parent to develop a strategy to keep things 'short and simple' can reduce anxiety and remind them that what matters most is keeping the connection going. It is also an essential part of the preparation for the more interactive **Phone or Message** menu item.

- Clarify the child's name, age, where and with whom they are staying.
- Ask the parent what message they would send to their children if they were feeling better. What would they want them to hear?
- See if they feel up to asking a friend or another family member to pass a message on to the child for them. It may be that they don't feel up to talking with anyone today, and that's okay.
- You may be asked to help the parent to formulate their message. Invite the parent to think about how their child may be feeling at home or at school, and how the parent can let them know they're wondering about them.

"Remember how important it will be for Laylah to hear from you and know you are thinking of her. It doesn't have to be a big message – just a 'hi, love you', using your special name for her, will mean so much to her".

- They could plan to send the message at important times in the child's day – e.g. waking up in the morning, heading off to school, going to bed. Something as ordinary as, *"Have a great day sweetheart"* or *"Good night, sleep tight, love you"* can mean a lot to a child.
- Work with the parent to create a plan for how to respond in a minimal 'once-off' way if the child responds on a mobile device (i.e. Night, night ❤️).
- Be sure to pass on any return messages that may be left for the parent via the service landline number (even if they come later). Make passing on any communications a priority, as they are significant in the parent-child relationship – this isn't *'any old message'*, even if it is short. Ideally these messages should be passed on face-to-face or with an explanatory note if the parent is not around during your shift.
- Make whatever has occurred, even if not yet realised, a part of any staff verbal handover update and document in the file that a personal message has been considered and/or facilitated.



Bring in something from home

Bring in a favourite item, a child's drawing or a photograph of your family to decorate your bedroom.

- If possible, this option should be discussed with the parent during the pre-admission process. It normalises future conversations about home and kids and creates an opportunity for the parent to talk with their child about where, why and for how long Mum or Dad may be away.
- If an item wasn't brought in on admission, suggesting this activity on the parent's arrival makes for an easy introduction to the menu. They may want to ask a trusted adult to bring in the item when they are visiting, or to send it in via priority mail.
- Where possible, encourage the involvement of children. If the child can select an item/s for the parent to have with them whilst at the centre, it will reinforce their connectedness in spite of the separation.
- As well, suggest the parent asks their child to look after an important item at home until they are reunited. This provides a tangible reminder of the parent for the child and is particularly reassuring for younger children about their parent's return. This 'task' also helps to make the child feel important.

Parents may have photos of their family on mobile devices (where these are allowed in the program). However, a physical item offers a sensory aspect that can provide comfort and a feeling of connection during absence.

Something like, *"I have your Joey sitting on my chair. He makes me smile and think about you"*, doesn't directly reveal anything about the parent's health but is mutually beneficial for both parent and child wellbeing. It is an example of how reassurance can be indirect yet powerful.

- Depending on the child's age, the item can make age-appropriate communication easier for the parent: *"Joey wanted to let you know he likes my room here 'cos it's sunny."*

It can demonstrate that children are being kept in mind: *"When I looked at your painting today, it reminded me about your science project. How did it go?"*

And it can help start conversations about everyday things: *"Today when I looked at the photo on my bedroom wall of you and Ingrid at the concert, I remembered her brother has been on holiday for a while now. How is he doing?"*

- A 'task' given to the child by the parent can be used in the same way: *"Have my daffodils flowered yet? Thank you for watering them."*
- Acknowledging a child's item and its placement in the parents' bedroom can help start conversations about other menu options. It's a chance to explore any possible home sicknesses and separation anxiety the parent may be feeling. The object can also be used as a mindfulness aid to assist parents in managing their emotional regulation or their motivation about participating in the program.

"Wasn't it lovely of Jessie to give you her Joey to bring in, so you had some company? She seems like a thoughtful kid."

"The message on Anh's painting is special, isn't it? He's hoping you're feeling better."

- Include any plans in verbal handovers with staff, and document in the parent's file that an item has been received or is on its way, along with any follow-up that may be required. This information can be especially useful when exploring any separation issues that may affect the parent's engagement with the residential program.



Send something special home

We have materials you can use to create a letter, postcard or special surprise for your kids to find in the letterbox.

- This item requires writing and creative art materials to be available as part of the program resources. It can be undertaken as an individual activity or created as part of the usual group program. There may be parents within a group who can create these alongside each other, adding an element of peer support to the process.
- Invite parents to think about the last time their kids received something by post (that wasn't ordered online) and what it might mean to them to receive something from their parent while they're apart. Receiving a surprise gift can be especially beneficial for younger children, and should be encouraged to happen as soon as possible and a couple of times throughout the parent's stay.
- Encourage parents to be creative when it comes to their child's gift. Some ideas include:
 - Cooking up a favourite treat food (made in the program).
 - Putting together a scrapbook of photos of the residence (e.g. bedroom, kitchen, lounge, building, garden – keeping other residents' privacy in mind).
 - Making a gift (e.g. bracelet, playdough, placemats).
 - Creating a personalised crossword/word find.
 - Composing a poem or creating a postcard to send.
 - Making vouchers for future outings together (e.g. movies, trip to the zoo, dinner).
 - Drawing something the parent and child have done and enjoy doing together.
 - Designing a picture outline for kids to colour-in and send back.

- Suggest attaching a hand-written message to the gift. Drafting the message first can help parents to shape the tone and think about what would strengthen their bond with their child. Recalling recent memories and commenting on ordinary, everyday things can be a powerful yet safe option.

“Made this especially for you! Could you ask Nanna to take a photo of your rehearsal, so I can see how it's going?”

“I heard you helped Sharon make a yummy cake 🍰 the other day. Can you make it again when I get home?”

- Some things may not be practical to send via post. In that case, reserve this activity for a time when the parent may be due to have a brief visit home as part of their program or transition preparation (see: **Planning to go home**) or when a family member is due to visit the parent.

- Postcards, like letters, should always go into a plain envelope (without service branding) and should be personally addressed to the child. This will both protect their privacy and emphasise the 'special delivery'.

- Giving the other parent/temporary caregiver a heads up about the gift shows respect for their shared parental/caregiving role and supports the child's experience. This trusted adult could help facilitate any gift exchanging that occurs across the stay.

- Include any plans/updates in verbal handovers with staff and document the outcome or planned arrangements in the parent's file.



Phone or message

But first – you may want think about the best way to chat with your children during your stay. We can help you to work out strategies that support you and your connection to family.

The general guidance contained in the **Introduction** and **Let's start talking** sections of this guide may also be helpful when preparing to discuss this item with parents.

- When working with a parent to plan a phone call or message exchange, an understanding of the whole family context and experience is critical. This may be the first time the parent has been separated from their child, or it may have happened before. Review the information you have and adopt a curious and non-judgmental stance. Confirm again, with sensitivity, that there are no current court orders in place restricting this sort of contact with the child.

Phone and video calls, text messages, email and social media are all great for staying in touch and often form a regular part of family communication, especially between parents and older children/teens. They can also, however, put pressure on parents for whom having a period of time-out is important for their recovery. Contact can be both desirable and stressful and this is a good time to encourage parents to 'hit the pause button' before making any plans.

Mobile device use may be formally restricted in your setting; parents may not have brought their device with them; or the parent and/or child may not own a device. In these cases, focus on translating the 'intent' of this item into other actions, or redirect parents to other menu options.

- Ask the parent what they would most like to talk or text with their child about – e.g. daily routines (homework, bedtimes), support networks (friends, sports teams).
 - Identify which topics the parent is and is not comfortable with.
 - Work together to develop a plan for how to finish the phone call or message exchange on a positive note, and what to do if the parent feels overwhelmed at any point.
 - Consider roughly how long is appropriate for the circumstances and the child's age.
 - Offer to practice or role play a phone call to help build the parent's confidence.
- Support the parent to work with their partner or the child's caregiver to 'arrange' the contact, rather than have it occur out of the blue. This keeps the parent in touch with what's happening at home, and encourages them to think about who else could be present at the other end to support the child and which times should be avoided (e.g. nap, feeding or dinner time). As some children will not have their own phone, coordinating with the partner/caregiver may be essential.

Messaging by text, audio, or video recording

- Sending the message to both the child and the other parent/caregiver at the same time can create a greater sense of support, openness and reassurance.
- Suggest a simple emoji message (i.e. 🙌👉👎👧👦💖), especially if the child is young. The other parent/caregiver can show the child the message, interpret the emojis with them and help them to respond.
- A recording of the parent singing a nursery rhyme or reading a story could be played to the child by their caregiver.

Phone calls

- Calls are best made or taken in either the parent's bedroom (if single occupancy) or an interview room with privacy. Check if the parent would like you to be present during the call or just as it commences, or if they would like to catch up immediately after.
- Be mindful that younger children will not tolerate lengthy phone/digital contact. This should be discussed with the parent and the caregiver *prior to the call*. Infants and young children may react strongly to voice or video calls, and parents should be prepared for the possibility that some children may not wish to talk on the phone or may require short conversations.
- FaceTime/Skype calls could be scheduled as part of the parent's program activity.

- After the call, provide an opportunity for the parent to reflect on what they are thinking/feeling about the phone call or the physical separation from their family. If this has raised concerns for the parent, provide support and give them time to debrief. Reassure them that this and other less direct contact is lessening the impact of this separation.
- Raise this key message with the parent: **'When a child knows others are caring for their parent, their own worries and sense of responsibility for their parent are reduced.'** Mentioning staff by name or introducing them to the child while on a call using loudspeaker has the potential to reduce children's anxiety.
- Over time, the frequency of contact from children may affect the parent's ability to focus on their recovery. Setting clear boundaries around the time, frequency, duration, and method of connecting can help parents to stay focused without withdrawing too much and confusing the child.
- Unexpected calls via landline from children without access to a mobile phone are common. Staff can set the scene for the conversation ahead and play a role in reassuring the child that their parent is being looked after.

"Would you like me to ask her to call you back or do you just want to leave a special message? I promise to pass it on exactly as you tell me."

"Your Dad is just about to catch up with his doctor, but I can see if he can say a quick hello now and then call you back later, maybe around dinnertime."

- Include any plans/updates in verbal handovers with staff, and document in the parent's file that a phone call or message exchange has been considered and/or occurred.



Spend time with your children

Depending on your situation, a visit here, at home or an outing could be planned. Our staff can support you before, during and after you spend time with your kids.

Prior to discussing this option with parents, familiarise yourself with:

- the general guidance contained in the **Introduction** and **Let's start talking** sections of this guide
- any specific Children's Visiting Policy/ Procedure developed by your service.

Planning ahead

- If your service does not usually facilitate contact visits with children or doesn't have a family-friendly room of suitable size and comfort, discuss with your manager what can be supported in the interim and what policy might need to be developed. In the meantime, point staff and parents towards the 'indirect contact' menu items.
- Confirm again that there are no current court orders with conditions such as supervised access in place. Conditions can change so don't rely solely on information received on the parent's arrival. It is also essential to be aware of any residents who may be legally prohibited from general contact with children, particularly in settings where staff may not be on site 24/7.
- A range of interactive toys and activities for differing age groups should be available as part of the program resources. Often sensory modulation equipment and activities already in place for residents are equally suitable for older children (e.g. weighted blankets, bean bags, meditation teepees).
- Children need to be accompanied by a responsible adult (who is not the parent or a staff member). More mature teenage visitors or young people in caring roles may not require as much adult supervision during their visit.

- Explore how the parent can check that their child and caregiver would like a visit or outing to take place. If anyone involved expresses any safety concerns, actively consult with your internal senior or specialist staff (e.g. program social worker or director) rather than ruling out the opportunity.
- Consider, in consultation with the program team, the parent's current levels of wellbeing, vulnerability and risk. These should be balanced along with the desire to have contact with their children.
- Any short-term 'intensive care' area within a residential rehabilitation program is not suitable for visitors under 18 years. While children may be curious to see their parent's room, visiting the bedroom is generally not advisable for both safety and privacy reasons.
- Support the parent and caregiver to develop a visit or outing plan – who, how, when, and where. Discourage unplanned visits by providing caregivers with information about what a positive, trauma-informed experience looks like.
- Include children in conversations about what they will do together. Suggest parents encourage younger children to bring in a favourite toy/book, or older children a game that can be played together (e.g. Uno, interactive computer games).

Just prior to and on the day of the visit

- Show the parent:
 - the designated family-friendly areas onsite for spending time with children
 - the toys, resources and activities that are available to make visits more meaningful and fun.
- Talk with the parent about:
 - confirming the time, location, and duration of the visit with the child's caregiver and accompanying adult. Visual descriptions of what the visitors can expect are recommended
 - how they can establish early in the visit how long it will last for
 - how they can use the resources and environment in low-key ways to re-engage with their children
 - how to finish the visit on a positive note.
- Ensure all staff are aware that the visit or outing is going ahead.

Onsite visits

- Review the plan, any developments, or current circumstances on the day of the visit and double-check the room is prepared and available.
- Be available to support the parent during the visit if required, even if this has not been identified in the plan.
- Acknowledge parents may feel nervous, distressed and sad in anticipation, even if they are eager to see their child. Reassure them that these feelings are both normal and okay, and remind them of their strategies for finishing the visit on a positive note.
- Visits involving infants should always be supervised by a member of staff as well as the accompanying adult.
- As you greet the child and accompanying adult, check for any unexpected concerns that may have arisen since arrangements were confirmed. Point out facilities (e.g. toilets) as you make your way to the visiting space.
- While it may be usual practice to advise visitors about behaviour and safety procedures, this should be discussed with the accompanying adult first. Unsolicited detailed information regarding safety procedures can alarm children. However, some reassurance of general safety is advised, especially when a child asks.

Outings

- Older children and adolescents may prefer to spend time with their parent offsite, especially if the visit is a regular part of a longer-term residential program. There will need to be some mutual negotiation with the child and accompanying adult about where – sheltered in public with others (e.g. lunch at the local shopping centre), or a less crowded outdoor space (e.g. kite flying or football in the local park.)

- Offer the parent, child and child's caregivers an opportunity to debrief after the visit. Encourage a casual message exchange about the visit (e.g. 🙌 😊 ☀️ 🧸 🍦 ❤️).
- Include any plans in verbal handover updates with staff, and document in the parent's file that a visit with their child has been considered/ occurred and what follow-up may be required.



Preparing to go home

There are a number of important steps in your recovery, including the transition home. Talk to us about what to expect and what this might look like for you and your family.

- For some residents, the return home can't come soon enough, while for others it can be extremely anxiety provoking. The same applies for family members, especially children.

Gradually introducing the steps involved in leaving the program helps parents and families to adjust and avoid surprises. If parents know what to expect, they can relay that confidence to their children. Preparation can help make things smoother for everyone.

Home may not be where the child lives – in fact, circumstances may have occurred during the parent's stay that lead to significant accommodation changes and potentially ongoing separation.

Equally, the experience of staying connected during the stay may have created some new traditions that the parent and child could continue, especially if the child lives elsewhere.

Transitions are well known as the weak link in most care planning processes. Specialist family-focused consultants within your service can provide additional information, linkage and interim support that may prevent things falling through the 'transition gap'.

- Preparing to leave may involve:
 - reaching an agreed level of wellness, successfully participating in the full program (course completion) or simply passing a time limitation (max 30 day stay)
 - a graduated process of spending short periods at home (trailing structured leave, part of personal goals), including gradual resumption of parenting tasks such as assisting at reading time.
- Address and validate any concerns the parent may have about their parenting role as they prepare to leave the program, particularly if there have been any significant changes to their child's care, custody or living arrangements.
- Clarify again that there is no current child protection involvement or other court orders in place that may restrict contact with the child. It may be necessary to consult with child protection or family violence workers prior to the parent returning home, regardless of whether they live with the child.
- Take a future and prevention planning focus by:
 - arranging regular family meetings with the child, partner or temporary caregiver and other support people, or with child protection and other family support agencies early in the parent's stay to ensure wrap-around support for the family
 - supporting the parent to create a family care plan in collaboration with their children's caregiver, children and any other relevant supports and community follow-up services. The plan should outline their preferred parenting and recovery strategies, children's wishes, and the role of informal and formal supports, and how concerns can be raised if required
 - discussing details and program expectations of any trial leave with the parent and the child's caregiver. Consider how to incorporate usual parental tasks as part of the transition (e.g. kindy pick up, school reading attendance)
 - explore with the parent what they have told their child about their stay and improvement. Refer to the **Let's start talking** section of this guide for ways parents can reassure their children about transitional arrangements and the return home, and how their children can be supported, including being connected to relevant organisations.

- On the day of leave/departure:
 - Confirm leave arrangements with the parent and family/child's caregiver.
 - Support the parent to implement their family care plan.
- On return from leave/after departure:
 - Offer support/debriefing opportunities to the parent, family/caregiver and child. Encourage reflections about what was learnt and what could be valuable to call on later.
- Include any plans/updates in verbal handovers with staff and document the details of current and future plans in the parent's file. Ensure the parent's experience of parenting during the stay is included in the outcome summaries provided to the parent and professionals providing follow-up care.

References

Attachment, separation, and trauma

Bowlby, J. (1969). *Attachment. Attachment and Loss (vol. 1)* (2nd ed.). New York: Basic Books.

Bowlby, J. (1973). *Separation: Anxiety & Anger. Attachment and Loss (vol. 2)*. London: Hogarth Press.

Bowlby, J. (1980). *Loss: Sadness & Depression. Attachment and Loss (vol. 3)*. London: Hogarth Press.

Gutierrez-Galve, L., Stein, A., Hanington, L., Heron, J., & Ramchandani, P. (2015). Paternal depression in the postnatal period and child development: Mediators and moderators. *Paediatrics*, 135(2), 339–47.

Howard, K., Martin, A., Berlin, L. J., & Brooks-Gunn, J. (2011). Early mother-child separation, parenting, and child well-being in Early Head Start families. *Attachment & Human Development*, 13(1), 5–26.

Isobel, S., Goodyear, M., Furness, T., & Foster, K. (2019). Preventing intergenerational trauma transmission: A critical interpretive synthesis. *Journal of clinical nursing*, 28 (7–8), 1100–1113.

McConnell Gladstone, B., Boydell, K. M., & McKeever, D. (2006). Recasting research into children's experiences of parental mental illness: Beyond risk and resilience. *Social Science and Medicine*, 62, 2540–2550.

National Child Traumatic Stress Network. (2016). *Children with traumatic separation: Information for professionals*. Accessed December 1, 2019. [Available here](#).

Rossen, L., Mattick, R. P., Wilson, J., Clare, P.J., Burns, L., Allsop, S., ... Hutchinson, D. (2019). Mother-infant bonding and emotional availability at 12-months of age: The role of early postnatal bonding, maternal substance use and mental health. *Maternal and Child Health Journal*, 23, 1686–1698.

Sivec, H. & Masterson, P. (2009). *When a parent is hospitalised: The impact on children*. COPMI - Gateway to Evidence that Matters (ed. 5). [Available here](#).

Sved-Williams, A. & Cowling, V. (2008). *Infants of parents with mental illness: Developmental, clinical, cultural, and personal perspectives*. Brisbane: Australian Academic Press.

Reupert, A., Maybery, D., Nicholson, J., Göpfert, M., & Seeman, M. (Eds.) (2015). *Parental psychiatric disorder: Distressed parents and their families*. Cambridge: Cambridge University Press.

Children's and parents' experiences

Fudge, E. & Mason, P. (2004). Consulting with young people about service guidelines relating to parental mental illness. *Australian E-Journal for the Advancement of Mental Health*, 3, 1–9.

McDonald, M. (2018). *Why is it difficult for parents to talk to practitioners about their children's mental health? Practice Paper*. Adelaide: Emerging Minds: National Workforce for Child Mental Health.

Nolte, L. & Wren, B. (2016). Talking or keeping silent about parental mental health problems: A grounded theory of parents' decision making and experiences with their children. *Journal of Marital and Family Therapy*, 42, 731–744.

Pihkala, H., Sandlund, M. & Cederström, A. (2011). Children in Beardslee's family intervention: Relieved by understanding of parental mental illness. *International Journal of Social Psychiatry*, 58, 623–628.

Van Parys, H., Bonnewyn, A., Hooghe, A., De Mol, J., & Rober, P. (2015). Toward understanding the child's experience in the process of parentification: Young adults' reflections on growing up with a depressed parent. *Journal of Marital and Family Therapy*, 41, 522–536.

Communicating with children

Absler, D. (1999). Talking with children about their parents' mental illness or mental health problems. In Cowling (Ed.), *Children of Parents with Mental Illness* (p. 183–194). Melbourne: ACER Press.

Beardslee, W. R. & Podorefsky, D. (1988). Resilient adolescents whose parents have serious affective and other psychiatric disorders: Importance of self-understanding and relationships. *American Journal of Psychiatry*, 145(1), 63–69.

Cooklin, A. (2004). Talking with children and their understanding of mental illness. In Göpfert, M., Webster, J. & Seeman, M.V. (Eds.) *Parental psychiatric disorder: Distressed parents and their families* (p. 292–305). Cambridge: Cambridge University Press.

Ferguson B. (2011). *Children of parents with mental illness: Parental disclosure, children's illness beliefs and the development of a shared understanding of mental illness in the family*. Unpublished doctoral dissertation. Adelaide: University of Adelaide.

Practice development in mental health settings

Champagne, T. (2006). Creating sensory rooms: Environmental enhancements for acute inpatient mental health settings. *Mental Health Special Interest Section Quarterly*, 29(4), 1–4.

Robinson, B. & Scott, S. (2007). *Parents in hospitals: How mental health services can promote family contact when a parent is in the hospital*. (Summary Report). Essex: Barnados, UK.

Foster, K. & Isobel, S. (2018). Towards relational recovery: Nurses' practices with consumers and families with dependent children in mental health inpatient units. *International Journal of Mental Health Nursing*, 27(2), 470–482.

Goodyear, M., Obradovic, A., Allchin, B., Cuff, R., McCormick, F. & Cosgriff, C. (2015). Building capacity for cross-sectorial approaches to the care of families where a parent has a mental illness. *Advances in Mental Health*, 13(2) 153–164

Korhonen, T., Vehviläinen-Julkunen, K. & Pietila, A. (2008). Implementing child-focused family nursing into routine adult psychiatric practice: Hindering factors evaluated by nurses. *Journal of Clinical Nursing*, 17, 499–508.

Korhonen, T., Vehviläinen-Julkunen, K., & Pietila, A. (2010). Do nurses support the patient in his or her role as a parent in adult psychiatry? A survey of mental health nurses in Finland. *Archives of Psychiatric Nursing*, 24, 155–167.

Korhonen, T., Pietila, A. & Vehviläinen-Julkunen, K. (2010). Are the children of clients visible or invisible for nurses in adult psychiatry - a questionnaire survey. *Scandinavian Journal of Caring Sciences*, 24, 5–74

Maybery, D. & Reupert, A. (2009). Parental mental illness: A review of barriers and issues for working with families and children. *Journal of Psychiatric and Mental Health Nursing*, 16, 784–791.

O'Brien, L., Brady, P., Anand, M., & Gillies, D. (2011). Children of parents with a mental illness visiting psychiatric settings: Perspectives of staff. *International Journal of Mental Health Nursing*, 20, 358–63.

The National Child Traumatic Stress Network. (2016). *Children with traumatic separation: Information for professionals factsheet*.

Van der Ende, P. C., Van Busschbach, J. T., Nicholson, J., Korevaar, E. L. & Van Weeghel, J. (2014). Parenting and psychiatric rehabilitation: Can parents with severe mental illness benefit from a new approach? *Psychiatric Rehabilitation Journal*, 37(3), 201–208.

Van der Ende, P.E., Korevaar, L., Van Busschbach, J.T., & Van Weeghel, J. (2017). Professionals' opinions on support for people with chronic illness in their roles as parents in mental or in general health care. *American Journal of Psychiatric Rehabilitation*, 20(1), 74–86.

Policy and practice standards

Goodyear, M., Hill, T. L., Allchin, B., McCormick, F., Hine, R., Cuff, R. & O'Hanlon, B. (2015). Standards of practice for the adult mental health workforce: Meeting the needs of families where a parent has a mental illness. *International Journal of Mental Health Nursing*, 24(2), 169–80.

Northern Area Mental Health Service. (2013). *NPU Child Visiting Procedure*. Epping: Melbourne Health.

NSW Health. (2010). *NSW children of parents with a mental illness (COPMI) framework for mental health services*. North Sydney: MH-Kids

Royal Australian and New Zealand College of Psychiatrists. (2016). *Children of parents with mental illness*. (Position Statement 56). Canberra: Faculty of Child and Adolescent Psychiatry.

Royal Australian and New Zealand College of Psychiatrists. (2015). *Mothers, babies and psychiatric inpatient units*. (Position Statement 57). Canberra: Faculty of Child and Adolescent Psychiatry.

Royal College of Psychiatrists. (2011). *Parents as patients: Supporting the needs of patients who are parents and their children* (College Report CR164). London: Royal College of Psychiatrists.

Prevention, early intervention and relational recovery

Foster, K., O'Brien, L., & Korhonen, T. (2012). Developing resilient children and families when parents have mental illness: A family-focused approach. *International Journal of Mental Health Nursing*, 21(1), 3–11.

Price-Robertson, R., Obradovic, A., & Morgan, B. (2016). Relational recovery: Beyond individualism in the recovery approach. *Advances in Mental Health*, 15, 108–120.

Price-Robertson, R., Olsen, G., Francis, H., Obradovic, A., & Morgan, B. (2016). *Supporting recovery in families affected by parental mental illness* (CFCA practitioner resource). Melbourne: Australian Institute of Family Studies.

Siegenthaler, E., Munder, T., & Egger, M. (2012). Effect of preventative interventions in mentally ill parents on the mental health of offspring: Systemic review and meta-analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(1), 8–17.

Acknowledgements

The original KIT MENU Poster was co-designed and produced by the Northern Psychiatric Unit, Northern Area Mental Health Service, Victoria and the Children of Parents with Mental Illness (COPMI) national initiative (2011). The poster content and design was revised in 2019 by the Emerging Minds: National Workforce Centre for Child Mental Health.

The Practice Guides are informed by the original practice guidelines developed by the Northern Psychiatric Unit, Northern Area Mental Health Service, Victoria in 2012. Both the revised KIT MENU Poster and accompanying Practice Guides have benefited from substantial input from a wide range of contributors including practitioners, parents and families.

Emerging Minds would like to express our deep appreciation to the original developers at the Northern Mental Health Service and its current leadership for their trust, continued collaboration and their willingness to allow these resources to be made available to a broader audience through this update and adaptation process.

We would like to sincerely thank the expert advisory group, professionals, parents, family members, and young people with lived experience from across Australia that were involved and contributed generously to the development of these resources.

Additional resources

Emerging Minds has created this series of fact sheets to help parents to have age-appropriate conversations with children about adversity:

[Communicating with your baby during tough times](#)

[Communicating with your toddler during tough times](#)

[Communicating with your primary school-aged child during tough times](#)

[Communicating with your teenager during tough times](#)

The following children's books will support conversations with children about parental substance use:

- [Ruby's dad: A story about living with a parent who is a heavy drinker](#) by Health Promotion Agency, New Zealand.
- [How can I care for my children? A handbook for parents struggling with drug or alcohol use](#) by Tytti Solantaus.
- *I can be me: A helping book for children of alcoholic parents* by Dianne S. O'Conner.
- [Daddy's disease \(helping children understand\)](#) by Carolyn Hannan Bell.
- [My dad loves me, my dad has a disease: A child's view: Living with addiction](#) by Claudia Black, PhD.
- *Wishes and worries: Coping with a parent who drinks too much alcohol* by Centre for Addiction and Mental Health.
- *The addiction monster – a children's guide to understanding the dynamics of drugs and alcohol* by Janet Amptman.
- *Addie's mom isn't home anymore* by Genia Calvin.